

**German metal Surface treatment Chemicals Co.  
Research and Development Department**



# **MATERIAL SAFETY DATA SHEET**

## **Sugest BAC 50L**

### **Benzalkonium Chloride long Chain 50%**

#### **MANUFACTURER:**

**German metal surface treatment (SUGEST)**

P.O. Box 2951, Riyadh 11461, K.S.A.

Tel: (00966) (01) 4647711 (20 Lines)

Fax: (00966) (01) 2170866

#### **1. Product and Company Identification**

**NAME** Sugest BAC50L

**USE** Disinfectant

**LABEL** Sugest BAC50L

**Company** German metal surface treatment chemicals co.

#### **2. Description**

**Sugest BAC50L** a mixture of alkyldimethylbenzyl ammonium chlorides of the general formula  $(C_6H_5CH_2N(CH_3)_2R)$

#### **3. Chemical Composition**


<b>Ingredient</b>	<b>CAS No</b>	<b>Percent</b>
Benzalkonium chloride	8001-54-5	50
Water	7732-18-5	45

#### **4. Application**

**Sugest BAC50L** Rapid acting Bactericide, Algacide and Fungicide. Widely used as a combination sanitizer-disinfectant for the Hospital, Livestock and Personal Hygiene sectors / Sugar and water treatment etc. Disinfecting instruments and preservative drugs in low concentration form. Primarily in hand or face washes.

#### **5. Physical & Chemical Properties**

<b>Test items</b>	<b>Units</b>	<b>Specification</b>
Appearance		Colorless to pale yellow liquid
Active Matter	%	48 – 52
Free Amine	%	Max 2.00



**German metal Surface treatment Chemicals Co.**  
**Research and Development Department**



pH (5 %) at 20 °C	Value	6.0 – 8.0
Spec. Gravity at 25 °C	Value	0.94 – 0.98

## 6. Hazards Identification

This product is an irritant to eye and skin.

### Emergency Overview

Chemical material cause irritant to eye and skin at concentrated liquid

### Potential Health Effects

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (corrosive), of eye contact (corrosive). The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [POSSIBLE]. The substance may be toxic to kidneys, liver, heart, gastrointestinal tract, cardiovascular system, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

## 7. First Aid Measures

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:


Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth



**German metal Surface treatment Chemicals Co.  
Research and Development Department**



Certificate of Registration  
No: SA-10071-QMS

## SUGEST

resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

**Ingestion:**

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:** Not available.

### 8. Fire Fighting Measures

**Fire:**

This product is non – combustible.

**Explosion:**

Not considered to be an explosion hazard at low concentration.

**Fire Extinguishing Media:**

Use any means suitable for extinguishing surrounding fire.(flood with water ).

**Special information:**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

### 9. Accidental Release Measures

**A- Release note:**

Dilute with large volume of water

**B- Environmental precaution**

Residual **Sugest BAC50L** is transferred to new empty can for the second use under restricted condition.

### 10. Handling and Storage

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities agents. Use only with appropriate protective equipment. Do not use in unventilated areas, walk in coolers or confined spaces. Observe all warnings and precautions listed for the product.

**Sugest BAC50L** is stored only in vented containers and transferred only in a prescribed manner and never return unused **Sugest BAC50L** to original container, empty drums should be triple rinsed with water before discarding.

Storage: Store drum in cool area out of direct sunlight and away from combustible, for bulk storage refer to FMC technical bulletins


### 11. Exposure Controls/Personal Protection

Exposure control avoid eye and skin contact.

Personal protection wears gloves, goggles and overalls when handling the material.

**Ventilation System:**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.



**German metal Surface treatment Chemicals Co.  
Research and Development Department**



Certificate of Registration  
No: SA-10071-QMS

SUGEST

Please refer to the ACGIH document, *Industrial Ventilation, a Manual of Recommended Practices*, most recent edition, for details.

**Skin Protection:**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. (Neoprene, polyvinyl chloride).

**Eye Protection:**

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

**12. Stability and Reactivity**

**Stability:**

stable at normal condition.

**Reactivity Data**

STABILITY: Stable under normal conditions

**Corrosively**

Highly corrosive in presence of stainless steel(304). Slightly corrosive in presence of aluminum, of copper. Non-corrosive in presence of stainless steel (316).

**Hazardous Polymerization:** will not occur

Avoid mixing with alkaline.

**13. Disposal Considerations**

Disposal method: Undiluted product is regulated under environmental and transportation laws as irritants. Disposal according to all federal, state and local authorities for restrictions on disposal of chemical waste, manage chemical waste through an approved waste treatment facility, do not reuse empty container, rinse empty container with water before discarding, container in accordance with current local community codes please recycle empty container whenever possible.

**14. Transport information**

Non hazard

**15. Other Information**

**Label Hazard Warning:**

WARNING! HARMFUL IF SWALLOWED OR INHALED. **Label Precautions:**


Avoid contact with eyes, skin and clothing.

Avoid breathing fume.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.



**German metal Surface treatment Chemicals Co.  
Research and Development Department**



**Label First Aid:**

If swallowed, induce vomiting immediately as directed by medical personnel. Give milk or water. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, wipe off excess material from skin then immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. In all cases, get medical attention.

---

**16. Packing type:**

**HDPE Sealed Containers**

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.*