



German metal Surface treatment Chemicals Co.  
Research and Development Department  
Paints Division.

## Safety Data Sheet

According to 1907/2006/EC , Article 31

### 1 - Identification of the substance/preparation and of the company/undertaking

#### Product details

· Trade name: **Dura NC Sealer**

· Application of the substance / the preparation

This Product Is designed for wood application by professional painters only, in accordance with the manufactures instructions specified in the technical data sheet.

· **Manufacturer/Supplier:**

German Surface treatment chemicals Co.

AL Fawzan industry Area

Riyadh

Saudi Arabia Kingdom

[amirqasqas@sugest.com.sa](mailto:amirqasqas@sugest.com.sa)

· **Further information obtainable from:** Product safety department

· **Information in case of emergency:** During normal opening times: +966 11 4647711

### 2 - Hazards identification

· **Hazard description:**

· **Information concerning particular hazards for human and environment:**

The product does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)



· Trade name: **Dura NC Sealer**

· **GHS label elements**



**Warning**

H361d - Suspected of damaging the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.



**Warning**

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

· **Prevention:**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· **Response:**

P321 Specific treatment (see on this label).

· **Storage:**

P405 Store locked up.

· **Disposal:**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



· Trade name: **Dura NC Sealer**

### 3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

<i>· Dangerous components:</i>			
<b>CAS: 123-86-4</b> <b>EINECS: 204-658-1</b>	<i>n-butyl acetate</i>	<i>R 10-66-67</i> <hr style="border-top: 1px dashed #ADD8E6;"/> Warning:  2.6/3;  3.8/3	2.5 – 10 %
<b>CAS: 1330-20-7</b> <b>EINECS: 215-535-7</b>	<i>toluene</i>	<i>Repr. Cat. 3;  Xn,  Xi,  F; R 11-38-48/20-63-65-67</i> <hr style="border-top: 1px dashed #ADD8E6;"/> Danger:  2.6/2;  3.10/1, 3.7/2, 3.9/2 <hr style="border-top: 1px dashed #ADD8E6;"/> Warning:  3.2/2, 3.8/3	2 – 12 %

- **Additional information:** For the wording of the listed risk phrases refer to section 16.



· Trade name: **Dura NC Sealer**

#### 4 First aid measures

- **General information:** *No special measures required.*
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Generally the product does not irritate the skin.*
- **After eye contact:** *Rinse opened eye for several minutes under running water.*
- **After swallowing:** *If symptoms persist consult doctor.*

#### 5 - Fire-fighting measures

- **Suitable extinguishing agents:** *CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **Protective equipment:** *No special measures required.*



· Trade name: **Dura NC Sealer**

### 6 - Accidental release measures

- **Person-related safety precautions: Not required.**
- **Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.**
- **Measures for cleaning/collecting:**  
**Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**
- **Additional information: No dangerous substances are released.**

### 7 - Handling and storage

Oil based Paints and Solvents are 'Hazardous Wastes' and as such are subject to much stricter regulations for storage and disposal than ordinary products / waste.

**We must ensure that the following rules are followed:**

- Paints and Solvents are to be stored in approved containers and areas on drip trays or bunded pallets
- Containers are to be kept closed when not in use
- When transporting paints or solvents ensure the containers are closed.
- Ensure incompatible chemical products (those which may cause a hazardous reaction if they come in contact) are not stored together.
- Smoking is prohibited in flammable liquid storage areas.
- Flammable liquids are not to be stored near sources of ignition (sparks, electricity, flames or hot objects)
- When containers are empty they must be disposed of correctly, by a hazardous waste licensed carrier.
- All paints and solvent tins/containers should be clearly marked.
  
- Storing temperature not exceed more than 35 Celsius.
- The transportation trucks and vehicles must be covered well to isolate the coatings pails and tins from direct sunlight.
- The pails and tins must be stored in dry paces away from high humidity.



· Trade name: **Dura NC Sealer**

**8 - Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

<b>· Ingredients with limit values that require monitoring at the workplace:</b>	
<b>123-86-4 n-butyl acetate</b>	
WEL	Short-term value: 966 mg/m <sup>3</sup> , 200 ppm Long-term value: 724 mg/m <sup>3</sup> , 150 ppm
<b>108-88-3 toluene</b>	
WEL	Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm Sk; BMGV

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
  - **General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals.
  - **Respiratory protection:** Not required.
  - **Protection of hands:**



**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**(Contd. on page 7)**



· Trade name: **Dura NC Sealer**

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Goggles recommended during refilling



Tightly sealed goggles



· Trade name: **Dura NC Sealer**

## 9 - Physical and chemical properties

### · General Information

**Form:** Fluid

**Colour:** According to product specification

**Odour:** Characteristic

### · Change in condition

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 110°C

· **Flash point:** 4°C

· **Ignition temperature:** 370°C

· **Self-igniting:** Product is not self igniting.

**Danger of explosion:** Product does not present an explosion hazard.

### · Explosion limits:

**Lower:** 1.2 Vol %

**Upper:** 7.5 Vol %

· **Vapor pressure at 20°C:** 29 hPa

· **Density at 20°C:** 0.97 : 0.98 g/cm<sup>3</sup>

### · Solubility in / Miscibility with

**water:** Not miscible or difficult to mix.

### · Solvent content:

**Organic solvents:** 40 %

**VOC (EC) :** 40 %

**Solids content:** 60 %





· Trade name: **Dura NC Sealer**

## 10 - Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

## 11 - Toxicological information

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

<b>108-88-3 toluene</b>		
Oral	LD 50	5000 mg /kg (rat)
Dermal	LD 50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.



· Trade name: **Dura NC Sealer**

## 12 - Ecological information

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## 13 - Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with household waste.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

## 14 - Transport information

· **Maritime transport IMDG:**

· **Marine pollutant:** No



· Trade name: **Dura NC Sealer**

## 15 - Regulatory information

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· **Code letter and hazard designation of product:**

## 16 - Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

10 Flammable.

11 Highly flammable.

38 Irritating to skin.

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

63 Possible risk of harm to the unborn child.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

· **Department issuing MSDS:** Product safety department

· **Contact:** Mr. Amir

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent