

# **Safety Data Sheet**

# According to 1907/2006/EC, Article 31

### 1 - Identification of the substance/preparation and of the company/undertaking

**Product details** 

# · Trade name: Dura PU Thinner

Manufacturer/Supplier:
German Surface treatment chemicals Co.
AL Fawzan industry Area
Riyadh
Saudi Arabia Kingdom
amirqasqas@sugest.com.sa
Further information obtainable from: Product safety department

• Information in case of emergency: During normal opening times: +966 11 4647711

### **2 - COMPOSITION/INFORMATION ON INGREDIENTS**

PHYSICAL FORM: Liquid Form


HAZARDOUS COMPONENTS: Hydrocarbons

CLASSIFICATION: Moderately Hazardous

<b>R-PHRASES:</b>	R10
	R18
	R20

R20 R38 R41

R66 (Contd. on page 2)



### **3. HAZARDS IDENTIFICATION**

HEALTH EFFECTS – EYES:	Serious damage to the eyes
INHALATION:	Harmful – inhalation of vapours may cause dizziness, an irregular heartbeat, narcosis, nausea or asphyxiation.
INGESTION:	Hazardous – may be fatal if swallowed.
SKIN:	Repeated exposure may cause skin dryness or cracking.


### **4. FIRST AID MEASURES**

**EYES:** Rinse immediately with plenty of water for at least 15 min and get medical attention immediately.

**INHALATION:** Move to fresh air. In case of discomfort get medical attention.

- **INGESTION:** Give plenty of water to drink. Do not induce vomiting. Get immediate medical attention.
- **SKIN:** Wash with soap and water or a recognised skin cleaner. Seek medical attention if irritation persists.

Note to physician: support respiratory and cardiovascular function.



### **5. FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Dry chemical powder, water spray or fog.

**SPECIAL HAZARDS:** Flammable in presence of open flames, sparks and static discharge of heat, oxidizing materials, combustible materials, reducing materials and of alkalis. Explosive in the form of vapour when exposed to heat or flame. Vapour may travel considerable distance to source of ignition and flash back.

**PROTECTIVE EQUIPMENT:** In case of fire, wear respiratory protection.

# 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

**PERSONAL PRECAUTIONS:** Avoid contact with eyes, skin and clothing.

**ENVIRONMENTAL PRECAUTIONS:** Do not allow product to enter sewage drains, soil or watercourses.

**CLEAN UP METHOD:** Absorb with dry earth, sand or other non-combustible material. Shovel up and dispose of at an appropriate waste disposal facility in accordance with current applicable laws and regulations, and product characteristics at time of disposal. Eliminate all ignition sources. Remove

leaking containers to detached area. Do not get water inside container. Poisonous flammable liquid, insoluble or very slightly soluble in water.



### 7. HANDLING AND STORAGE


**TECHNICAL MEASURES:** Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. To avoid fire or explosion, dissipate static electricity during transfer by bonding containers and equipment before transferring material.

**SAFE HANDLING ADVICE:** Avoid contact with skin and eyes.

PACKAGING MATERIAL: Keep in original container.

**STORAGE CONDITIONS:** Store in a separate safety storage cabinet or room. Keep container tightly closed and sealed until ready for use. Keep in a well ventilated place. Storage containers should be grounded and bonded. Store in a cool area away from all ignition sources.

- Temperature not exceeds more than 30 Celsius.
- Transportation vehicles must be covered well to avoid direct sunlight.



#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA HAZARD RATING: 2-H-E Moderate hazard potential.

**EYES:** Splash goggles should be worn.

**INHALATION:** Use appropriate respirator when ventilation is inadequate.

**INGESTION:** Follow the rules of hygiene. Wash hands before eating, drinking or smoking.

**SKIN:** Butyl rubber gloves should be worn, chemical resistant safety boots.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Water white liquid.
SPECIFIC GRAVITY: (g/ml)	0.84
VISCOSITY: (sec)	10 - 12
<b>BOILING PONT:</b> (oC)	60 - 73
VOC: (%)	100



#### **10. STABILITY AND REACTIVITY**


**CONDITIONS TO AVOID:** Heat, sparks, flame and build up of static electricity.

MATERIALS TO AVOID: Reactive with oxidizing agents, reducing agents, organic materials, acids, alkalis and metals.

HAZARDOUS DECOMPOSITION PRODUCTS: Emits acid smoke and irritating fumes, carbon oxides such as carbon monoxide and carbon dioxide.

### **11. TOXICOLOGICAL INFORMATION**

Carcinogenic effects established - inhalation of vapours may cause dizziness, an irregular heartbeat, narcosis, nausea or asphyxiation. No mutagenic or genetic effects established. Inhalation of vapours/mists causes acute oral and dermal toxicity. Expected to be severely irritating to gastrointestinal tract.



# **12. ECOLOGICAL INFORMATION**

May have short term environmental effects. This material is toxic to fish and wildlife. Do not discharge


into lakes, streams, ponds, etc.

# **13. DISPOSAL INFORMATION**

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Exercise caution in disposal of used containers.

### **14. TRANSPORT INFORMATION**

1268, Petroleum distillates, n.o.s. or petroleum products, n.o.s.
II
3
1268 (Flammable liquid N.O.S)



# **15. REGULATORY INFORMATION**

**S-PHRASES:** 

#### S2 - Keep out of reach of children.

S9 – Keep container in well ventilated place.

S13 - Keep away from food, drink and animal feeding stuffs

S16 - Keep away from sources of ignition - No smoking

S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39 – Wear eye/face protection.

- S51 Use only in well ventilated areas
- S60 This material and its container must be disposed of as hazardous waste.
- S62 If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.



# **16. OTHER INFORMATION**

### **DISCLAIMER:**

For intended use and applications see the Technical Data Sheet for the product. The information provided in this Material Safety Data Sheet is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for the errors or the omissions or the consequences thereof. Technology may change with time necessitating changes to this MSDS/Technical Data Sheet. It is the responsibility of the user to ensure that the latest MSDS/ Technical Data sheet is being used.