



Material Safety Data Sheet

Duraclean 300

MANUFACTURER:

German Metal Surface Treatment Chemicals Co (SUGEST)

P.O. Box 2951, Riyadh 11461, K.S.A.

Tel: (00966) (011) 4647711 (20 Lines)

Fax: (00966) (011) 2170866

1. Product and Company Identification

NAME	Duraclean 300
USE	Used for cleaning, degreasing, surface ink removal
LABEL	Duraclean 300
Company	German Metal Surface Treatment Chemicals Co.

2. Description:

Duraclean 300 is a weak acidic multi functional product based on organic acids blended with special organic additives.

3. Chemical Composition

Ingredient	CAS No	Percent by wight
Solvent mixture	Proprietary	20-25
Surfactant	Proprietary	03 – 08

4. Application

Duraclean 300 is a multipurpose weak acidic cleaner for Aluminum and steel. It is design to obtain properly cleaned, free of ink or print , finish substrate with minimal loss of metal at normal ambient temperature for subsequent coating.

5. Physical & Chemical Properties

Appearance	Clear Liquid.
Color	Colorless
PH at 25 °C	3.6 ± 0.2
Sp.gr at 25 °C	0.97 ± 0.03



Material Safety Data Sheet

6. Hazards Identification

This product is an irritant to eye and skin (irritant, Harmful)

Emergency Overview

Chemical material cause irritant to eye and skin at concentrated liquid

Potential Health Effects

Inhalation:

Harmful or fatal if swallowed.

Skin Contact:

Irritant may cause permanent skin damage, may cause sensitization by skin contact,

Eye Contact:

Causes irritation, Contact may cause tissue eye damage.

Chronic Exposure:

Chronic inhalation may cause serious problems the lungs.

7. First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse, clean shoes before reuse. Get medical attention immediately.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.



Material Safety Data Sheet

8. Fire Fighting Measures

Fire:

This product is non combustible; precaution should be taken in storage and working area.

Keep away from spark or ignition.

Explosion:

Not considered to be an explosion hazard. At low concentration

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.(flood with water).

Special information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

9. Accidental Release Measures

A- Release note:

Dilute with large volume of water.

B- Environmental precaution

Residual **Duraclean 300** are transferred to new empty can for the second use under restricted conditions.

10. Storage Information

Storage & Handling	Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not expose to direct sun.. Avoid store near alkaline, reducing materials or ignition or spark sources. Store in temperature not above 35°C. Observe all warnings and precautions listed for the product. Duraclean 300 is stored only in closed containers and transferred only in a prescribed manner and never return unused Duraclean 300 to original container, empty containers should be triple rinsed with water before discarding.
Shelf Life	One year from date of production if stored in normal condition.

11. Exposure Controls/Personal Protection

Avoid eye and skin contact.

Personal protection wears gloves, goggles and overalls when handling the material.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, a Manual of Recommended Practices*, most recent edition, for details.



Material Safety Data Sheet

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

12. Stability and Reactivity

Stability

Stable under normal condition.

Reactivity Data

Stable under normal conditions.

Hazardous Polymerization

Will not occur.

13. Disposal Considerations

Disposal method: Undiluted product is regulated under environmental and transportation laws as irritants and harmful. Disposal of according to all laws, local and global authorities for restrictions on disposal of chemical waste ,manage chemical, waste through an approved waste treatment facility , do not reuse empty container ,rinse empty container with water before discarding , container in accordance with current local community codes please recycle empty container whenever possible.

14. Transport information

Non hazardous

15. Other Information

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED OR INHALED.

Label Precautions:

Avoid contact with eyes, skin and clothing.
Avoid breathing fume.
Keep container closed.
Use only with adequate ventilation. Wash thoroughly after handling.



Material Safety Data Sheet

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Give milk or water. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, wipe off excess material from skin then immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. In all cases, get medical attention.

16. Packing Type:

Duraclean 300 is available in standard as 1000 kg IBC.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes